Age at Diagnosis \* Sex Crosstabulationa

|           |       |              | Se     | ex     |        |
|-----------|-------|--------------|--------|--------|--------|
|           |       |              | Male   | Female | Total  |
| Age at    | 20-24 | Count        | 2      | 2      | 4      |
| Diagnosis |       | % within Sex | 11.1%  | 13.3%  | 12.1%  |
|           | 25-29 | Count        | 1      | 3      | 4      |
|           |       | % within Sex | 5.6%   | 20.0%  | 12.1%  |
|           | 30-39 | Count        | 9      | 3      | 12     |
|           |       | % within Sex | 50.0%  | 20.0%  | 36.4%  |
|           | 40-49 | Count        | 5      | 4      | 9      |
|           |       | % within Sex | 27.8%  | 26.7%  | 27.3%  |
|           | 50-59 | Count        | 1      | 1      | 2      |
|           |       | % within Sex | 5.6%   | 6.7%   | 6.1%   |
|           | 60-69 | Count        |        | 2      | 2      |
|           |       | % within Sex |        | 13.3%  | 6.1%   |
| Total     |       | Count        | 18     | 15     | 33     |
|           |       | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

## Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

|                |                    |              | Sex    |        |        |
|----------------|--------------------|--------------|--------|--------|--------|
|                |                    |              | Male   | Female | Total  |
| Race-Ethnicity | White Non-Hispanic | Count        | 5      |        | 5      |
|                |                    | % within Sex | 27.8%  |        | 15.2%  |
|                | African American   | Count        | 11     | 14     | 25     |
|                |                    | % within Sex | 61.1%  | 93.3%  | 75.8%  |
|                | Hispanic           | Count        | 2      | 1      | 3      |
|                |                    | % within Sex | 11.1%  | 6.7%   | 9.1%   |
| Total          |                    | Count        | 18     | 15     | 33     |
|                |                    | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

# HIV Infection Cases Reported during 2002 (from the 02/27/03 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

|          |                      |              | Se     | ex     |        |
|----------|----------------------|--------------|--------|--------|--------|
|          |                      |              | Male   | Female | Total  |
| Mode of  | Male-to-Male Sex     | Count        | 6      |        | 6      |
| Exposure |                      | % within Sex | 33.3%  |        | 18.2%  |
|          | IDU                  | Count        | 4      | 1      | 5      |
|          |                      | % within Sex | 22.2%  | 6.7%   | 15.2%  |
|          | M-M & IDU            | Count        | 1      |        | 1      |
|          |                      | % within Sex | 5.6%   |        | 3.0%   |
|          | Heterosexual Contact | Count        | 1      | 7      | 8      |
|          |                      | % within Sex | 5.6%   | 46.7%  | 24.2%  |
|          | Transfusion          | Count        |        | 1      | 1      |
|          |                      | % within Sex |        | 6.7%   | 3.0%   |
|          | Not Classified       | Count        | 6      | 6      | 12     |
|          |                      | % within Sex | 33.3%  | 40.0%  | 36.4%  |
| Total    |                      | Count        | 18     | 15     | 33     |
|          |                      | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

|                |                    |                    | Adult-Ped  |        |
|----------------|--------------------|--------------------|------------|--------|
|                |                    |                    | Adult/Adol |        |
|                |                    |                    | escent     | Total  |
| Race-Ethnicity | White Non-Hispanic | Count              | 5          | 5      |
|                |                    | % within Adult-Ped | 15.2%      | 15.2%  |
|                | African American   | Count              | 25         | 25     |
|                |                    | % within Adult-Ped | 75.8%      | 75.8%  |
|                | Hispanic           | Count              | 3          | 3      |
|                |                    | % within Adult-Ped | 9.1%       | 9.1%   |
| Total          |                    | Count              | 33         | 33     |
|                |                    | % within Adult-Ped | 100.0%     | 100.0% |

a. HSDA = Waco

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

|       |        |                    | Adult-Ped  |        |
|-------|--------|--------------------|------------|--------|
|       |        |                    | Adult/Adol |        |
|       |        |                    | escent     | Total  |
| Sex   | Male   | Count              | 18         | 18     |
|       |        | % within Adult-Ped | 54.5%      | 54.5%  |
|       | Female | Count              | 15         | 15     |
|       |        | % within Adult-Ped | 45.5%      | 45.5%  |
| Total |        | Count              | 33         | 33     |
|       |        | % within Adult-Ped | 100.0%     | 100.0% |

a. HSDA = Waco

Age at Diagnosis \* Sex Crosstabulationa

|           |       |              | Se     | ex     |        |
|-----------|-------|--------------|--------|--------|--------|
|           |       |              | Male   | Female | Total  |
| Age at    | 20-24 | Count        | 4      | 1      | 5      |
| Diagnosis |       | % within Sex | 23.5%  | 50.0%  | 26.3%  |
|           | 25-29 | Count        | 1      |        | 1      |
|           |       | % within Sex | 5.9%   |        | 5.3%   |
|           | 30-39 | Count        | 6      | 1      | 7      |
|           |       | % within Sex | 35.3%  | 50.0%  | 36.8%  |
|           | 40-49 | Count        | 2      |        | 2      |
|           |       | % within Sex | 11.8%  |        | 10.5%  |
|           | 50-59 | Count        | 2      |        | 2      |
|           |       | % within Sex | 11.8%  |        | 10.5%  |
|           | 60-69 | Count        | 2      |        | 2      |
|           |       | % within Sex | 11.8%  |        | 10.5%  |
| Total     |       | Count        | 17     | 2      | 19     |
|           |       | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

## Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

|                |                    |              | Se     | ∋x     |        |
|----------------|--------------------|--------------|--------|--------|--------|
|                |                    |              | Male   | Female | Total  |
| Race-Ethnicity | White Non-Hispanic | Count        | 5      | 1      | 6      |
|                |                    | % within Sex | 29.4%  | 50.0%  | 31.6%  |
|                | African American   | Count        | 9      | 1      | 10     |
|                |                    | % within Sex | 52.9%  | 50.0%  | 52.6%  |
|                | Hispanic           | Count        | 3      |        | 3      |
|                |                    | % within Sex | 17.6%  |        | 15.8%  |
| Total          |                    | Count        | 17     | 2      | 19     |
|                |                    | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

# HIV Infection Cases Reported during 2001 (from the 02/27/03 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

|          |                      |              | Se     | ex     |        |
|----------|----------------------|--------------|--------|--------|--------|
|          |                      |              | Male   | Female | Total  |
| Mode of  | Male-to-Male Sex     | Count        | 7      |        | 7      |
| Exposure |                      | % within Sex | 41.2%  |        | 36.8%  |
|          | IDU                  | Count        | 1      |        | 1      |
|          |                      | % within Sex | 5.9%   |        | 5.3%   |
|          | M-M & IDU            | Count        | 1      |        | 1      |
|          |                      | % within Sex | 5.9%   |        | 5.3%   |
|          | Heterosexual Contact | Count        |        | 1      | 1      |
|          |                      | % within Sex |        | 50.0%  | 5.3%   |
|          | Transfusion          | Count        | 1      |        | 1      |
|          |                      | % within Sex | 5.9%   |        | 5.3%   |
|          | Not Classified       | Count        | 7      | 1      | 8      |
|          |                      | % within Sex | 41.2%  | 50.0%  | 42.1%  |
| Total    |                      | Count        | 17     | 2      | 19     |
|          |                      | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

|                |                    |                    | Adult-Ped  |        |
|----------------|--------------------|--------------------|------------|--------|
|                |                    |                    | Adult/Adol |        |
|                |                    |                    | escent     | Total  |
| Race-Ethnicity | White Non-Hispanic | Count              | 6          | 6      |
|                |                    | % within Adult-Ped | 31.6%      | 31.6%  |
|                | African American   | Count              | 10         | 10     |
|                |                    | % within Adult-Ped | 52.6%      | 52.6%  |
|                | Hispanic           | Count              | 3          | 3      |
|                |                    | % within Adult-Ped | 15.8%      | 15.8%  |
| Total          |                    | Count              | 19         | 19     |
|                |                    | % within Adult-Ped | 100.0%     | 100.0% |

a. HSDA = Waco

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

|       |        |                    | Adult-Ped  |        |
|-------|--------|--------------------|------------|--------|
|       |        |                    | Adult/Adol |        |
|       |        |                    | escent     | Total  |
| Sex   | Male   | Count              | 17         | 17     |
|       |        | % within Adult-Ped | 89.5%      | 89.5%  |
|       | Female | Count              | 2          | 2      |
|       |        | % within Adult-Ped | 10.5%      | 10.5%  |
| Total |        | Count              | 19         | 19     |
|       |        | % within Adult-Ped | 100.0%     | 100.0% |

a. HSDA = Waco

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

|           |       |              | Se     | ex     |        |
|-----------|-------|--------------|--------|--------|--------|
|           |       |              | Male   | Female | Total  |
| Age at    | 13-19 | Count        |        | 4      | 4      |
| Diagnosis |       | % within Sex |        | 9.5%   | 3.6%   |
|           | 20-24 | Count        | 9      | 6      | 15     |
|           |       | % within Sex | 13.2%  | 14.3%  | 13.6%  |
|           | 25-29 | Count        | 5      | 7      | 12     |
|           |       | % within Sex | 7.4%   | 16.7%  | 10.9%  |
|           | 30-39 | Count        | 33     | 9      | 42     |
|           |       | % within Sex | 48.5%  | 21.4%  | 38.2%  |
|           | 40-49 | Count        | 11     | 10     | 21     |
|           |       | % within Sex | 16.2%  | 23.8%  | 19.1%  |
|           | 50-59 | Count        | 7      | 4      | 11     |
|           |       | % within Sex | 10.3%  | 9.5%   | 10.0%  |
|           | 60-69 | Count        | 3      | 2      | 5      |
|           |       | % within Sex | 4.4%   | 4.8%   | 4.5%   |
| Total     |       | Count        | 68     | 42     | 110    |
|           |       | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

|                |                    |              | Sex    |        |        |
|----------------|--------------------|--------------|--------|--------|--------|
|                |                    |              | Male   | Female | Total  |
| Race-Ethnicity | White Non-Hispanic | Count        | 18     | 7      | 25     |
|                |                    | % within Sex | 26.5%  | 16.7%  | 22.7%  |
|                | African American   | Count        | 39     | 34     | 73     |
|                |                    | % within Sex | 57.4%  | 81.0%  | 66.4%  |
|                | Hispanic           | Count        | 11     | 1      | 12     |
|                |                    | % within Sex | 16.2%  | 2.4%   | 10.9%  |
| Total          |                    | Count        | 68     | 42     | 110    |
|                |                    | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

# Cumulative Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

|          |                      |              | Se     | ex     |        |
|----------|----------------------|--------------|--------|--------|--------|
|          |                      |              | Male   | Female | Total  |
| Mode of  | Male-to-Male Sex     | Count        | 25     |        | 25     |
| Exposure |                      | % within Sex | 36.8%  |        | 22.7%  |
|          | IDU                  | Count        | 8      | 6      | 14     |
|          |                      | % within Sex | 11.8%  | 14.3%  | 12.7%  |
|          | M-M & IDU            | Count        | 8      |        | 8      |
|          |                      | % within Sex | 11.8%  |        | 7.3%   |
|          | Hemophiliac          | Count        |        | 1      | 1      |
|          |                      | % within Sex |        | 2.4%   | .9%    |
|          | Heterosexual Contact | Count        | 4      | 16     | 20     |
|          |                      | % within Sex | 5.9%   | 38.1%  | 18.2%  |
|          | Transfusion          | Count        | 1      | 2      | 3      |
|          |                      | % within Sex | 1.5%   | 4.8%   | 2.7%   |
|          | Not Classified       | Count        | 22     | 17     | 39     |
|          |                      | % within Sex | 32.4%  | 40.5%  | 35.5%  |
| Total    | _                    | Count        | 68     | 42     | 110    |
|          |                      | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

|                |                    |                    | Adult-Ped  |        |
|----------------|--------------------|--------------------|------------|--------|
|                |                    |                    | Adult/Adol |        |
|                |                    |                    | escent     | Total  |
| Race-Ethnicity | White Non-Hispanic | Count              | 25         | 25     |
|                |                    | % within Adult-Ped | 22.7%      | 22.7%  |
|                | African American   | Count              | 73         | 73     |
|                |                    | % within Adult-Ped | 66.4%      | 66.4%  |
|                | Hispanic           | Count              | 12         | 12     |
|                |                    | % within Adult-Ped | 10.9%      | 10.9%  |
| Total          |                    | Count              | 110        | 110    |
|                |                    | % within Adult-Ped | 100.0%     | 100.0% |

a. HSDA = Waco

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

|       |        |                    | Adult-Ped  |        |
|-------|--------|--------------------|------------|--------|
|       |        |                    | Adult/Adol |        |
|       |        |                    | escent     | Total  |
| Sex   | Male   | Count              | 68         | 68     |
|       |        | % within Adult-Ped | 61.8%      | 61.8%  |
|       | Female | Count              | 42         | 42     |
|       |        | % within Adult-Ped | 38.2%      | 38.2%  |
| Total |        | Count              | 110        | 110    |
|       |        | % within Adult-Ped | 100.0%     | 100.0% |

a. HSDA = Waco

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

|           |       |              | Se     | ex     |        |
|-----------|-------|--------------|--------|--------|--------|
|           |       |              | Male   | Female | Total  |
| Age at    | 13-19 | Count        |        | 4      | 4      |
| Diagnosis |       | % within Sex |        | 10.0%  | 3.8%   |
|           | 20-24 | Count        | 9      | 6      | 15     |
|           |       | % within Sex | 13.8%  | 15.0%  | 14.3%  |
|           | 25-29 | Count        | 5      | 7      | 12     |
|           |       | % within Sex | 7.7%   | 17.5%  | 11.4%  |
|           | 30-39 | Count        | 33     | 8      | 41     |
|           |       | % within Sex | 50.8%  | 20.0%  | 39.0%  |
|           | 40-49 | Count        | 10     | 9      | 19     |
|           |       | % within Sex | 15.4%  | 22.5%  | 18.1%  |
|           | 50-59 | Count        | 6      | 4      | 10     |
|           |       | % within Sex | 9.2%   | 10.0%  | 9.5%   |
|           | 60-69 | Count        | 2      | 2      | 4      |
|           |       | % within Sex | 3.1%   | 5.0%   | 3.8%   |
| Total     |       | Count        | 65     | 40     | 105    |
|           |       | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

### Current Age \* Sex Crosstabulation<sup>a</sup>

|         |       |              | Se     | ex     |        |
|---------|-------|--------------|--------|--------|--------|
|         |       |              | Male   | Female | Total  |
| Current | 20-24 | Count        | 4      | 6      | 10     |
| Age     |       | % within Sex | 6.2%   | 15.0%  | 9.5%   |
|         | 25-29 | Count        | 6      | 9      | 15     |
|         |       | % within Sex | 9.2%   | 22.5%  | 14.3%  |
|         | 30-39 | Count        | 28     | 8      | 36     |
|         |       | % within Sex | 43.1%  | 20.0%  | 34.3%  |
|         | 40-49 | Count        | 17     | 8      | 25     |
|         |       | % within Sex | 26.2%  | 20.0%  | 23.8%  |
|         | 50-59 | Count        | 8      | 6      | 14     |
|         |       | % within Sex | 12.3%  | 15.0%  | 13.3%  |
|         | 60-69 | Count        | 2      | 3      | 5      |
|         |       | % within Sex | 3.1%   | 7.5%   | 4.8%   |
| Total   |       | Count        | 65     | 40     | 105    |
|         |       | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

# Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

## Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

|                |                    |              | Sex    |        |        |
|----------------|--------------------|--------------|--------|--------|--------|
|                |                    |              | Male   | Female | Total  |
| Race-Ethnicity | White Non-Hispanic | Count        | 18     | 7      | 25     |
|                |                    | % within Sex | 27.7%  | 17.5%  | 23.8%  |
|                | African American   | Count        | 36     | 32     | 68     |
|                |                    | % within Sex | 55.4%  | 80.0%  | 64.8%  |
|                | Hispanic           | Count        | 11     | 1      | 12     |
|                |                    | % within Sex | 16.9%  | 2.5%   | 11.4%  |
| Total          |                    | Count        | 65     | 40     | 105    |
|                |                    | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

## Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

|          |                      |              | Se     | ex     |        |
|----------|----------------------|--------------|--------|--------|--------|
|          |                      |              | Male   | Female | Total  |
| Mode of  | Male-to-Male Sex     | Count        | 25     |        | 25     |
| Exposure |                      | % within Sex | 38.5%  |        | 23.8%  |
|          | IDU                  | Count        | 6      | 5      | 11     |
|          |                      | % within Sex | 9.2%   | 12.5%  | 10.5%  |
|          | M-M & IDU            | Count        | 8      |        | 8      |
|          |                      | % within Sex | 12.3%  |        | 7.6%   |
|          | Hemophiliac          | Count        |        | 1      | 1      |
|          |                      | % within Sex |        | 2.5%   | 1.0%   |
|          | Heterosexual Contact | Count        | 4      | 15     | 19     |
|          |                      | % within Sex | 6.2%   | 37.5%  | 18.1%  |
|          | Transfusion          | Count        | 1      | 2      | 3      |
|          |                      | % within Sex | 1.5%   | 5.0%   | 2.9%   |
|          | Not Classified       | Count        | 21     | 17     | 38     |
|          |                      | % within Sex | 32.3%  | 42.5%  | 36.2%  |
| Total    |                      | Count        | 65     | 40     | 105    |
|          |                      | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

# Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

|                |                    |                    | Adult-Ped  |        |
|----------------|--------------------|--------------------|------------|--------|
|                |                    |                    | Adult/Adol |        |
|                |                    |                    | escent     | Total  |
| Race-Ethnicity | White Non-Hispanic | Count              | 25         | 25     |
|                |                    | % within Adult-Ped | 23.8%      | 23.8%  |
|                | African American   | Count              | 68         | 68     |
|                |                    | % within Adult-Ped | 64.8%      | 64.8%  |
|                | Hispanic           | Count              | 12         | 12     |
|                |                    | % within Adult-Ped | 11.4%      | 11.4%  |
| Total          |                    | Count              | 105        | 105    |
|                |                    | % within Adult-Ped | 100.0%     | 100.0% |

a. HSDA = Waco

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

|       |        |                    | Adult-Ped  |        |
|-------|--------|--------------------|------------|--------|
|       |        |                    |            |        |
|       |        |                    | Adult/Adol |        |
|       |        |                    | escent     | Total  |
| Sex   | Male   | Count              | 65         | 65     |
|       |        | % within Adult-Ped | 61.9%      | 61.9%  |
|       | Female | Count              | 40         | 40     |
|       |        | % within Adult-Ped | 38.1%      | 38.1%  |
| Total |        | Count              | 105        | 105    |
|       |        | % within Adult-Ped | 100.0%     | 100.0% |

a. HSDA = Waco

Age at Diagnosis \* Sex Crosstabulationa

|           |       |              | Se     | ex     |        |
|-----------|-------|--------------|--------|--------|--------|
|           |       |              | Male   | Female | Total  |
| Age at    | 20-24 | Count        |        | 1      | 1      |
| Diagnosis |       | % within Sex |        | 10.0%  | 4.0%   |
|           | 25-29 | Count        | 1      |        | 1      |
|           |       | % within Sex | 6.7%   |        | 4.0%   |
|           | 30-39 | Count        | 7      | 5      | 12     |
|           |       | % within Sex | 46.7%  | 50.0%  | 48.0%  |
|           | 40-49 | Count        | 5      | 3      | 8      |
|           |       | % within Sex | 33.3%  | 30.0%  | 32.0%  |
|           | 50-59 | Count        | 2      | 1      | 3      |
|           |       | % within Sex | 13.3%  | 10.0%  | 12.0%  |
| Total     |       | Count        | 15     | 10     | 25     |
|           |       | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

## Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

|                |                    |              | Sex    |        |        |
|----------------|--------------------|--------------|--------|--------|--------|
|                |                    |              | Male   | Female | Total  |
| Race-Ethnicity | White Non-Hispanic | Count        | 5      | 2      | 7      |
|                |                    | % within Sex | 33.3%  | 20.0%  | 28.0%  |
|                | African American   | Count        | 10     | 7      | 17     |
|                |                    | % within Sex | 66.7%  | 70.0%  | 68.0%  |
|                | Hispanic           | Count        |        | 1      | 1      |
|                |                    | % within Sex |        | 10.0%  | 4.0%   |
| Total          |                    | Count        | 15     | 10     | 25     |
|                |                    | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

# AIDS Cases Reported during 2002 (from the 02/27/03 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

|          |                      |              | Sex    |        |        |
|----------|----------------------|--------------|--------|--------|--------|
|          |                      |              | Male   | Female | Total  |
| Mode of  | Male-to-Male Sex     | Count        | 7      |        | 7      |
| Exposure |                      | % within Sex | 46.7%  |        | 28.0%  |
|          | IDU                  | Count        | 3      | 1      | 4      |
|          |                      | % within Sex | 20.0%  | 10.0%  | 16.0%  |
|          | M-M & IDU            | Count        | 1      |        | 1      |
|          |                      | % within Sex | 6.7%   |        | 4.0%   |
|          | Heterosexual Contact | Count        | 1      | 5      | 6      |
|          |                      | % within Sex | 6.7%   | 50.0%  | 24.0%  |
|          | Transfusion          | Count        |        | 2      | 2      |
|          |                      | % within Sex |        | 20.0%  | 8.0%   |
|          | Not Classified       | Count        | 3      | 2      | 5      |
|          |                      | % within Sex | 20.0%  | 20.0%  | 20.0%  |
| Total    |                      | Count        | 15     | 10     | 25     |
|          |                      | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

## Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>

|                |                    |                    | Adult-Ped  |        |
|----------------|--------------------|--------------------|------------|--------|
|                |                    |                    | Adult/Adol |        |
|                |                    |                    | escent     | Total  |
| Race-Ethnicity | White Non-Hispanic | Count              | 7          | 7      |
|                |                    | % within Adult-Ped | 28.0%      | 28.0%  |
|                | African American   | Count              | 17         | 17     |
|                |                    | % within Adult-Ped | 68.0%      | 68.0%  |
|                | Hispanic           | Count              | 1          | 1      |
|                |                    | % within Adult-Ped | 4.0%       | 4.0%   |
| Total          |                    | Count              | 25         | 25     |
|                |                    | % within Adult-Ped | 100.0%     | 100.0% |

a. HSDA = Waco

### Sex \* Adult-Ped Crosstabulation<sup>a</sup>

|       |        |                    | Adult-Ped  |        |
|-------|--------|--------------------|------------|--------|
|       |        |                    | Adult/Adol |        |
|       |        |                    | escent     | Total  |
| Sex   | Male   | Count              | 15         | 15     |
|       |        | % within Adult-Ped | 60.0%      | 60.0%  |
|       | Female | Count              | 10         | 10     |
|       |        | % within Adult-Ped | 40.0%      | 40.0%  |
| Total |        | Count              | 25         | 25     |
|       |        | % within Adult-Ped | 100.0%     | 100.0% |

a. HSDA = Waco

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

|           |       |              | Se     | ∋x     |        |
|-----------|-------|--------------|--------|--------|--------|
|           |       |              | Male   | Female | Total  |
| Age at    | 20-24 | Count        | 1      | 1      | 2      |
| Diagnosis |       | % within Sex | 6.7%   | 25.0%  | 10.5%  |
|           | 25-29 | Count        | 1      |        | 1      |
|           |       | % within Sex | 6.7%   |        | 5.3%   |
|           | 30-39 | Count        | 4      | 1      | 5      |
|           |       | % within Sex | 26.7%  | 25.0%  | 26.3%  |
|           | 40-49 | Count        | 6      | 1      | 7      |
|           |       | % within Sex | 40.0%  | 25.0%  | 36.8%  |
|           | 50-59 | Count        | 1      |        | 1      |
|           |       | % within Sex | 6.7%   |        | 5.3%   |
|           | 60-69 | Count        | 2      |        | 2      |
|           |       | % within Sex | 13.3%  |        | 10.5%  |
|           | 70+   | Count        |        | 1      | 1      |
|           |       | % within Sex |        | 25.0%  | 5.3%   |
| Total     |       | Count        | 15     | 4      | 19     |
|           |       | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

|                |                    |              | Sex    |        |        |
|----------------|--------------------|--------------|--------|--------|--------|
|                |                    |              | Male   | Female | Total  |
| Race-Ethnicity | White Non-Hispanic | Count        | 4      | 2      | 6      |
|                |                    | % within Sex | 26.7%  | 50.0%  | 31.6%  |
|                | African American   | Count        | 6      |        | 6      |
|                |                    | % within Sex | 40.0%  |        | 31.6%  |
|                | Hispanic           | Count        | 5      | 2      | 7      |
|                |                    | % within Sex | 33.3%  | 50.0%  | 36.8%  |
| Total          |                    | Count        | 15     | 4      | 19     |
|                |                    | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

## AIDS Cases Reported during 2001 (from the 02/27/03 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

|          |                      |              | Sex    |        |        |
|----------|----------------------|--------------|--------|--------|--------|
|          |                      |              | Male   | Female | Total  |
| Mode of  | Male-to-Male Sex     | Count        | 2      |        | 2      |
| Exposure |                      | % within Sex | 13.3%  |        | 10.5%  |
|          | IDU                  | Count        | 3      |        | 3      |
|          |                      | % within Sex | 20.0%  |        | 15.8%  |
|          | M-M & IDU            | Count        | 2      |        | 2      |
|          |                      | % within Sex | 13.3%  |        | 10.5%  |
|          | Heterosexual Contact | Count        | 2      | 2      | 4      |
|          |                      | % within Sex | 13.3%  | 50.0%  | 21.1%  |
|          | Not Classified       | Count        | 6      | 2      | 8      |
|          |                      | % within Sex | 40.0%  | 50.0%  | 42.1%  |
| Total    |                      | Count        | 15     | 4      | 19     |
|          |                      | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

### Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>

|                |                    |                    | Adult-Ped  |          |
|----------------|--------------------|--------------------|------------|----------|
|                |                    |                    | Adult/Adol | <b>+</b> |
|                |                    |                    | escent     | Total    |
| Race-Ethnicity | White Non-Hispanic | Count              | 6          | 6        |
|                |                    | % within Adult-Ped | 31.6%      | 31.6%    |
|                | African American   | Count              | 6          | 6        |
|                |                    | % within Adult-Ped | 31.6%      | 31.6%    |
|                | Hispanic           | Count              | 7          | 7        |
|                |                    | % within Adult-Ped | 36.8%      | 36.8%    |
| Total          |                    | Count              | 19         | 19       |
|                |                    | % within Adult-Ped | 100.0%     | 100.0%   |

a. HSDA = Waco

### Sex \* Adult-Ped Crosstabulation<sup>a</sup>

|       |        |                    | Adult-Ped            |        |
|-------|--------|--------------------|----------------------|--------|
|       |        |                    | Adult/Adol<br>escent | Total  |
| Sex   | Male   | Count              | 15                   | 15     |
|       |        | % within Adult-Ped | 78.9%                | 78.9%  |
|       | Female | Count              | 4                    | 4      |
|       |        | % within Adult-Ped | 21.1%                | 21.1%  |
| Total |        | Count              | 19                   | 19     |
|       |        | % within Adult-Ped | 100.0%               | 100.0% |

a. HSDA = Waco

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

|           |             |              | Se     | ex     |        |
|-----------|-------------|--------------|--------|--------|--------|
|           |             |              | Male   | Female | Total  |
| Age at    | 0 (0-11 mo) | Count        | 1      | 1      | 2      |
| Diagnosis |             | % within Sex | .3%    | 1.1%   | .5%    |
|           | 2-4         | Count        |        | 2      | 2      |
|           |             | % within Sex |        | 2.2%   | .5%    |
|           | 13-19       | Count        | 3      | 6      | 9      |
|           |             | % within Sex | 1.0%   | 6.5%   | 2.3%   |
|           | 20-24       | Count        | 12     | 7      | 19     |
|           |             | % within Sex | 3.9%   | 7.5%   | 4.8%   |
|           | 25-29       | Count        | 28     | 9      | 37     |
|           |             | % within Sex | 9.2%   | 9.7%   | 9.3%   |
|           | 30-39       | Count        | 125    | 40     | 165    |
|           |             | % within Sex | 40.8%  | 43.0%  | 41.4%  |
|           | 40-49       | Count        | 93     | 17     | 110    |
|           |             | % within Sex | 30.4%  | 18.3%  | 27.6%  |
|           | 50-59       | Count        | 25     | 9      | 34     |
|           |             | % within Sex | 8.2%   | 9.7%   | 8.5%   |
|           | 60-69       | Count        | 17     | 1      | 18     |
|           |             | % within Sex | 5.6%   | 1.1%   | 4.5%   |
|           | 70+         | Count        | 2      | 1      | 3      |
|           |             | % within Sex | .7%    | 1.1%   | .8%    |
| Total     |             | Count        | 306    | 93     | 399    |
|           |             | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

|                |                        |              | Se     | Sex    |        |
|----------------|------------------------|--------------|--------|--------|--------|
|                |                        |              | Male   | Female | Total  |
| Race-Ethnicity | White Non-Hispanic     | Count        | 159    | 26     | 185    |
|                |                        | % within Sex | 52.0%  | 28.0%  | 46.4%  |
|                | African American       | Count        | 118    | 56     | 174    |
|                |                        | % within Sex | 38.6%  | 60.2%  | 43.6%  |
|                | Hispanic               | Count        | 28     | 11     | 39     |
|                |                        | % within Sex | 9.2%   | 11.8%  | 9.8%   |
|                | Asian-Pacific Islander | Count        | 1      |        | 1      |
|                |                        | % within Sex | .3%    |        | .3%    |
| Total          |                        | Count        | 306    | 93     | 399    |
|                |                        | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

# Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

## Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

|          |                      |              | Se     | ex     |        |
|----------|----------------------|--------------|--------|--------|--------|
|          |                      |              | Male   | Female | Total  |
| Mode of  | Male-to-Male Sex     | Count        | 120    |        | 120    |
| Exposure |                      | % within Sex | 39.2%  |        | 30.1%  |
|          | IDU                  | Count        | 63     | 23     | 86     |
|          |                      | % within Sex | 20.6%  | 24.7%  | 21.6%  |
|          | M-M & IDU            | Count        | 41     |        | 41     |
|          |                      | % within Sex | 13.4%  |        | 10.3%  |
|          | Hemophiliac          | Count        | 2      |        | 2      |
|          |                      | % within Sex | .7%    |        | .5%    |
|          | Heterosexual Contact | Count        | 17     | 32     | 49     |
|          |                      | % within Sex | 5.6%   | 34.4%  | 12.3%  |
|          | Transfusion          | Count        | 4      | 8      | 12     |
|          |                      | % within Sex | 1.3%   | 8.6%   | 3.0%   |
|          | Not Classified       | Count        | 57     | 27     | 84     |
|          |                      | % within Sex | 18.6%  | 29.0%  | 21.1%  |
|          | Ped Parent at Risk   | Count        | 1      | 3      | 4      |
|          |                      | % within Sex | .3%    | 3.2%   | 1.0%   |
|          | Ped Other-Undet      | Count        | 1      |        | 1      |
|          |                      | % within Sex | .3%    |        | .3%    |
| Total    |                      | Count        | 306    | 93     | 399    |
|          |                      | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

|                |                        |                    | Adult-Ped |            |        |
|----------------|------------------------|--------------------|-----------|------------|--------|
|                |                        |                    |           | Adult/Adol |        |
|                |                        |                    | Pediatric | escent     | Total  |
| Race-Ethnicity | White Non-Hispanic     | Count              | 1         | 184        | 185    |
|                |                        | % within Adult-Ped | 25.0%     | 46.6%      | 46.4%  |
|                | African American       | Count              | 3         | 171        | 174    |
|                |                        | % within Adult-Ped | 75.0%     | 43.3%      | 43.6%  |
|                | Hispanic               | Count              |           | 39         | 39     |
|                |                        | % within Adult-Ped |           | 9.9%       | 9.8%   |
|                | Asian-Pacific Islander | Count              |           | 1          | 1      |
|                |                        | % within Adult-Ped |           | .3%        | .3%    |
| Total          |                        | Count              | 4         | 395        | 399    |
|                |                        | % within Adult-Ped | 100.0%    | 100.0%     | 100.0% |

a. HSDA = Waco

# Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

|       |        |                    | Adult     | t-Ped                |        |
|-------|--------|--------------------|-----------|----------------------|--------|
|       |        |                    | Pediatric | Adult/Adol<br>escent | Total  |
| Sex   | Male   | Count              | 1         | 305                  | 306    |
|       |        | % within Adult-Ped | 25.0%     | 77.2%                | 76.7%  |
|       | Female | Count              | 3         | 90                   | 93     |
|       |        | % within Adult-Ped | 75.0%     | 22.8%                | 23.3%  |
| Total |        | Count              | 4         | 395                  | 399    |
|       |        | % within Adult-Ped | 100.0%    | 100.0%               | 100.0% |

a. HSDA = Waco

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

|           |       |              | Se     | ∋x     |        |
|-----------|-------|--------------|--------|--------|--------|
|           |       |              | Male   | Female | Total  |
| Age at    | 2-4   | Count        |        | 2      | 2      |
| Diagnosis |       | % within Sex |        | 3.9%   | 1.1%   |
|           | 13-19 | Count        | 3      | 3      | 6      |
|           |       | % within Sex | 2.4%   | 5.9%   | 3.4%   |
|           | 20-24 | Count        | 3      | 6      | 9      |
|           |       | % within Sex | 2.4%   | 11.8%  | 5.1%   |
|           | 25-29 | Count        | 12     | 3      | 15     |
|           |       | % within Sex | 9.7%   | 5.9%   | 8.6%   |
|           | 30-39 | Count        | 50     | 26     | 76     |
|           |       | % within Sex | 40.3%  | 51.0%  | 43.4%  |
|           | 40-49 | Count        | 46     | 6      | 52     |
|           |       | % within Sex | 37.1%  | 11.8%  | 29.7%  |
|           | 50-59 | Count        | 6      | 5      | 11     |
|           |       | % within Sex | 4.8%   | 9.8%   | 6.3%   |
|           | 60-69 | Count        | 4      |        | 4      |
|           |       | % within Sex | 3.2%   |        | 2.3%   |
| Total     |       | Count        | 124    | 51     | 175    |
|           |       | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

# Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Current Age \* Sex Crosstabulation<sup>a</sup>

|         |       |              | Se     | ∋x     |        |
|---------|-------|--------------|--------|--------|--------|
|         |       |              | Male   | Female | Total  |
| Current | 5-12  | Count        |        | 2      | 2      |
| Age     |       | % within Sex |        | 3.9%   | 1.1%   |
|         | 13-19 | Count        | 1      |        | 1      |
|         |       | % within Sex | .8%    |        | .6%    |
|         | 20-24 | Count        | 2      | 3      | 5      |
|         |       | % within Sex | 1.6%   | 5.9%   | 2.9%   |
|         | 25-29 | Count        | 3      | 6      | 9      |
|         |       | % within Sex | 2.4%   | 11.8%  | 5.1%   |
|         | 30-39 | Count        | 32     | 18     | 50     |
|         |       | % within Sex | 25.8%  | 35.3%  | 28.6%  |
|         | 40-49 | Count        | 55     | 15     | 70     |
|         |       | % within Sex | 44.4%  | 29.4%  | 40.0%  |
|         | 50-59 | Count        | 23     | 7      | 30     |
|         |       | % within Sex | 18.5%  | 13.7%  | 17.1%  |
|         | 60-69 | Count        | 6      |        | 6      |
|         |       | % within Sex | 4.8%   |        | 3.4%   |
|         | 70+   | Count        | 2      |        | 2      |
|         |       | % within Sex | 1.6%   |        | 1.1%   |
| Total   |       | Count        | 124    | 51     | 175    |
|         |       | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

|                |                        |              | Se     | Sex    |        |
|----------------|------------------------|--------------|--------|--------|--------|
|                |                        |              | Male   | Female | Total  |
| Race-Ethnicity | White Non-Hispanic     | Count        | 58     | 14     | 72     |
|                |                        | % within Sex | 46.8%  | 27.5%  | 41.1%  |
|                | African American       | Count        | 55     | 30     | 85     |
|                |                        | % within Sex | 44.4%  | 58.8%  | 48.6%  |
|                | Hispanic               | Count        | 10     | 7      | 17     |
|                |                        | % within Sex | 8.1%   | 13.7%  | 9.7%   |
|                | Asian-Pacific Islander | Count        | 1      |        | 1      |
|                |                        | % within Sex | .8%    |        | .6%    |
| Total          |                        | Count        | 124    | 51     | 175    |
|                |                        | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

# Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

## Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

|          |                      |              | Se     | ex     |        |
|----------|----------------------|--------------|--------|--------|--------|
|          |                      |              | Male   | Female | Total  |
| Mode of  | Male-to-Male Sex     | Count        | 46     |        | 46     |
| Exposure |                      | % within Sex | 37.1%  |        | 26.3%  |
|          | IDU                  | Count        | 23     | 10     | 33     |
|          |                      | % within Sex | 18.5%  | 19.6%  | 18.9%  |
|          | M-M & IDU            | Count        | 14     |        | 14     |
|          |                      | % within Sex | 11.3%  |        | 8.0%   |
|          | Hemophiliac          | Count        | 1      |        | 1      |
|          |                      | % within Sex | .8%    |        | .6%    |
|          | Heterosexual Contact | Count        | 11     | 17     | 28     |
|          |                      | % within Sex | 8.9%   | 33.3%  | 16.0%  |
|          | Transfusion          | Count        | 1      | 5      | 6      |
|          |                      | % within Sex | .8%    | 9.8%   | 3.4%   |
|          | Not Classified       | Count        | 27     | 17     | 44     |
|          |                      | % within Sex | 21.8%  | 33.3%  | 25.1%  |
|          | Ped Parent at Risk   | Count        |        | 2      | 2      |
|          |                      | % within Sex |        | 3.9%   | 1.1%   |
|          | Ped Other-Undet      | Count        | 1      |        | 1      |
|          |                      | % within Sex | .8%    |        | .6%    |
| Total    |                      | Count        | 124    | 51     | 175    |
|          |                      | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

|                |                        |                    | Adult     | -Ped       |        |
|----------------|------------------------|--------------------|-----------|------------|--------|
|                |                        |                    |           | Adult/Adol |        |
|                |                        |                    | Pediatric | escent     | Total  |
| Race-Ethnicity | White Non-Hispanic     | Count              |           | 72         | 72     |
|                |                        | % within Adult-Ped |           | 41.6%      | 41.1%  |
|                | African American       | Count              | 2         | 83         | 85     |
|                |                        | % within Adult-Ped | 100.0%    | 48.0%      | 48.6%  |
|                | Hispanic               | Count              |           | 17         | 17     |
|                |                        | % within Adult-Ped |           | 9.8%       | 9.7%   |
|                | Asian-Pacific Islander | Count              |           | 1          | 1      |
|                |                        | % within Adult-Ped |           | .6%        | .6%    |
| Total          | _                      | Count              | 2         | 173        | 175    |
|                |                        | % within Adult-Ped | 100.0%    | 100.0%     | 100.0% |

a. HSDA = Waco

# Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

|       |        |                    | Adult     | t-Ped                |        |
|-------|--------|--------------------|-----------|----------------------|--------|
|       |        |                    | Pediatric | Adult/Adol<br>escent | Total  |
| Sex   | Male   | Count              |           | 124                  | 124    |
|       |        | % within Adult-Ped |           | 71.7%                | 70.9%  |
|       | Female | Count              | 2         | 49                   | 51     |
|       |        | % within Adult-Ped | 100.0%    | 28.3%                | 29.1%  |
| Total |        | Count              | 2         | 173                  | 175    |
|       |        | % within Adult-Ped | 100.0%    | 100.0%               | 100.0% |

a. HSDA = Waco

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

|           |       |              | Se     | ∋x     |        |
|-----------|-------|--------------|--------|--------|--------|
|           |       |              | Male   | Female | Total  |
| Age at    | 2-4   | Count        |        | 2      | 2      |
| Diagnosis |       | % within Sex |        | 2.2%   | .7%    |
|           | 13-19 | Count        | 3      | 7      | 10     |
|           |       | % within Sex | 1.6%   | 7.7%   | 3.6%   |
|           | 20-24 | Count        | 12     | 12     | 24     |
|           |       | % within Sex | 6.3%   | 13.2%  | 8.6%   |
|           | 25-29 | Count        | 17     | 10     | 27     |
|           |       | % within Sex | 9.0%   | 11.0%  | 9.6%   |
|           | 30-39 | Count        | 83     | 34     | 117    |
|           |       | % within Sex | 43.9%  | 37.4%  | 41.8%  |
|           | 40-49 | Count        | 56     | 15     | 71     |
|           |       | % within Sex | 29.6%  | 16.5%  | 25.4%  |
|           | 50-59 | Count        | 12     | 9      | 21     |
|           |       | % within Sex | 6.3%   | 9.9%   | 7.5%   |
|           | 60-69 | Count        | 6      | 2      | 8      |
|           |       | % within Sex | 3.2%   | 2.2%   | 2.9%   |
| Total     |       | Count        | 189    | 91     | 280    |
|           |       | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

# Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

## Current Age \* Sex Crosstabulation<sup>a</sup>

|         |       |              | Se     | ex     |        |
|---------|-------|--------------|--------|--------|--------|
|         |       |              | Male   | Female | Total  |
| Current | 5-12  | Count        |        | 2      | 2      |
| Age     |       | % within Sex |        | 2.2%   | .7%    |
|         | 13-19 | Count        | 1      |        | 1      |
|         |       | % within Sex | .5%    |        | .4%    |
|         | 20-24 | Count        | 6      | 9      | 15     |
|         |       | % within Sex | 3.2%   | 9.9%   | 5.4%   |
|         | 25-29 | Count        | 9      | 15     | 24     |
|         |       | % within Sex | 4.8%   | 16.5%  | 8.6%   |
|         | 30-39 | Count        | 60     | 26     | 86     |
|         |       | % within Sex | 31.7%  | 28.6%  | 30.7%  |
|         | 40-49 | Count        | 72     | 23     | 95     |
|         |       | % within Sex | 38.1%  | 25.3%  | 33.9%  |
|         | 50-59 | Count        | 31     | 13     | 44     |
|         |       | % within Sex | 16.4%  | 14.3%  | 15.7%  |
|         | 60-69 | Count        | 8      | 3      | 11     |
|         |       | % within Sex | 4.2%   | 3.3%   | 3.9%   |
|         | 70+   | Count        | 2      |        | 2      |
|         |       | % within Sex | 1.1%   |        | .7%    |
| Total   |       | Count        | 189    | 91     | 280    |
|         |       | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

|                |                        |              | Se     | Sex    |        |
|----------------|------------------------|--------------|--------|--------|--------|
|                |                        |              | Male   | Female | Total  |
| Race-Ethnicity | White Non-Hispanic     | Count        | 76     | 21     | 97     |
|                |                        | % within Sex | 40.2%  | 23.1%  | 34.6%  |
|                | African American       | Count        | 91     | 62     | 153    |
|                |                        | % within Sex | 48.1%  | 68.1%  | 54.6%  |
|                | Hispanic               | Count        | 21     | 8      | 29     |
|                |                        | % within Sex | 11.1%  | 8.8%   | 10.4%  |
|                | Asian-Pacific Islander | Count        | 1      |        | 1      |
|                |                        | % within Sex | .5%    |        | .4%    |
| Total          |                        | Count        | 189    | 91     | 280    |
|                |                        | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

# Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

## Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

|          |                      |              | Se     | ex     |        |
|----------|----------------------|--------------|--------|--------|--------|
|          |                      |              | Male   | Female | Total  |
| Mode of  | Male-to-Male Sex     | Count        | 71     |        | 71     |
| Exposure |                      | % within Sex | 37.6%  |        | 25.4%  |
|          | IDU                  | Count        | 29     | 15     | 44     |
|          |                      | % within Sex | 15.3%  | 16.5%  | 15.7%  |
|          | M-M & IDU            | Count        | 22     |        | 22     |
|          |                      | % within Sex | 11.6%  |        | 7.9%   |
|          | Hemophiliac          | Count        | 1      | 1      | 2      |
|          |                      | % within Sex | .5%    | 1.1%   | .7%    |
|          | Heterosexual Contact | Count        | 15     | 32     | 47     |
|          |                      | % within Sex | 7.9%   | 35.2%  | 16.8%  |
|          | Transfusion          | Count        | 2      | 7      | 9      |
|          |                      | % within Sex | 1.1%   | 7.7%   | 3.2%   |
|          | Not Classified       | Count        | 48     | 34     | 82     |
|          |                      | % within Sex | 25.4%  | 37.4%  | 29.3%  |
|          | Ped Parent at Risk   | Count        |        | 2      | 2      |
|          |                      | % within Sex |        | 2.2%   | .7%    |
|          | Ped Other-Undet      | Count        | 1      |        | 1      |
|          |                      | % within Sex | .5%    |        | .4%    |
| Total    |                      | Count        | 189    | 91     | 280    |
|          |                      | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Waco

|                |                        |                    | Adult     | -Ped       |        |
|----------------|------------------------|--------------------|-----------|------------|--------|
|                |                        |                    |           | Adult/Adol |        |
|                |                        |                    | Pediatric | escent     | Total  |
| Race-Ethnicity | White Non-Hispanic     | Count              |           | 97         | 97     |
|                |                        | % within Adult-Ped |           | 34.9%      | 34.6%  |
|                | African American       | Count              | 2         | 151        | 153    |
|                |                        | % within Adult-Ped | 100.0%    | 54.3%      | 54.6%  |
|                | Hispanic               | Count              |           | 29         | 29     |
|                |                        | % within Adult-Ped |           | 10.4%      | 10.4%  |
|                | Asian-Pacific Islander | Count              |           | 1          | 1      |
|                |                        | % within Adult-Ped |           | .4%        | .4%    |
| Total          |                        | Count              | 2         | 278        | 280    |
|                |                        | % within Adult-Ped | 100.0%    | 100.0%     | 100.0% |

a. HSDA = Waco

# Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

## Sex \* Adult-Ped Crosstabulation<sup>a</sup>

|       |        |                    | Adult     | t-Ped                |        |
|-------|--------|--------------------|-----------|----------------------|--------|
|       |        |                    | Pediatric | Adult/Adol<br>escent | Total  |
| Sex   | Male   | Count              |           | 189                  | 189    |
|       |        | % within Adult-Ped |           | 68.0%                | 67.5%  |
|       | Female | Count              | 2         | 89                   | 91     |
|       |        | % within Adult-Ped | 100.0%    | 32.0%                | 32.5%  |
| Total |        | Count              | 2         | 278                  | 280    |
|       |        | % within Adult-Ped | 100.0%    | 100.0%               | 100.0% |

a. HSDA = Waco